

FPS1XL/EL/GG



Take control of creative, presentation and collaboration work spaces. Salamander's beautiful and highly functional FPS Series Mobile Stands offer superior ergonomics complimenting any touch screen display with improved productivity, unrivaled flexibility and lifetime value.

A stylish, sleek and compact design moves easily between spaces. A thoughtful range of accessories provides even more utility and an improved user experience.

- Mobile stand for interactive display / touchscreen panel
- · Motorized Electric Lift and wired remote control
- Compatible with most large displays including 98" Screens, see VESA pattern and weight limits.
- Ergonomic design. Adjustable height positioning provides best possible ergonomics and viewing.
- Superior mobility. High quality, commercial grade locking casters and integrated handles provide easy maneuverability and transport
- Fully concealed cable management allows clean and uncluttered installation
- Range of travel, Center of screen: Min 38.16" (969 mm) and Max 63.75" (1619 mm)
- · Storage for electronic components, peripherals and accessories.
- Telescopic design allows compact position for transport and storage
- Durable construction. Made in USA of powder coated steel,
   Linak Motor components, Powder coated and/or veneered MDF panels
- Options available for peripheral equipment mounting, retractable cable reel, secure equipment storage cover, keyboard tray and more.
- · Limited Lifetime Warranty

















## FPS1XL/EL/GG








Equipment Mounting Panel













### FPS1XL/EL/GG

PRODUCT SPECIFICATIONS	Metric (mm)	US/Imperial Inches	SH	SHIPPING DIMENSIONS		
Length	1484.3	58.44		1,251 mm	49.25 inch	
Overall Height Range	1280.3 - 1930.3	50.41 - 76		1,048 mm	41.25 inch	
Center of Screen Range of Travel	969.2 - 1619.2	38.12 - 63.75				
Depth	825.5	32.5		368 mm	14.5 inch	
Weight	74.84 kg	165 lbs		86 kg	190 lb	
Max Load Capacity	136 kg	300 lbs				
UPC Number		634878507141				

#### **VESA COMPLIANT MOUNT PATTERN**

Horizontal - 400, 600mm, 800mm, 1000mm, 1200mm Vertical - 400mm, 500mm, 600mm Panel Mounting - M8 Machine Screws

#### **CASTER WHEELS**

5" (125mm) HD, Non Marking, Brakes on 2

#### **ELECTRICAL INFORMATION**

Input: 90V - 240V ~, 48 Hz - 63HZ Duty Cycle: 10% Max 2min / 18min

#### **CABLE MANAGER CHAIN**

1" x .75" x 34" (25 x 19 x 865mm)

#### **POWER CABLE**

IEC - Type Class 2, 2-prong

USA Included: (PN 400-590)

Available:

EU (PN 400-591)

UK (PN 400-592)

New Zealand, Australia and others (PN 400-593)
















## FPS1XL/EL/GG



Equipment Storage Cover- Graphite FPSA/SC/GT




Cable Reel 30' Payout, 24"
Tri-Tap Female End
FPSA/CR



19" Rack Mounting 3 RU RM/VR/3U




Power Distribution Unit SA/RM/PDU



Keyboard Storage Shelf- Graphite FPSA/KS/GT



Accessory Shelf with Straps FPSA/AS1



Camera Mount Shelf FPSA/CS



Speaker Bracket Kit FPSA/SBK



Wireless RF Remote Control with Memory FPSA/RF1

## **ROAD CASE**

FOR EASY DEPLOYMENT

Combine a mobile stand with a road case to provide secure and convenient transport of your display.

Accommodates Stand & Display

FPSA/RC/XL









