


# D2/347A ASSEMBLY INSTRUCTIONS 4 BAY AV CREDENZA





Salamander 4 Bay AV Credenza 503-228 [7.18] page 1 of 7


## **HARDWARE**





























ID PART # DESCRIPTION		PART #	DESCRIPTION
-----------------------	--	--------	-------------

Α	300-835x	Universal Shelf Peg	
В	300-518x	1/4-20 x 3/8" Button Head Socket Screw	
С	300-485x	1/4-20 x 1/2" Button Head Socket Screw	
D	300-455x	1/4-20 x 1" Head Socket Cap Screw	
Е	300-465x	1/4-20 x 3/4" Head Socket Screw	
F	302-315x	10-32 x 5/8" Flanged Button Head Socket Screw	
G	300-468x	1/4" Flat Washer	
Н	300-532x	1/4-20 Lock Nut	
1	300-565x	Drop In Nut	
J	300-560x	1/4-20 Flat Nut	
K	300-520x	1/4-20 Small Flat Nut	
L	301-470x	5/16" Flat Washer	

## **TOOLS INCLUDED**

#### PART # DESCRIPTION

P-400-030 Driver Bit 1/4" Hex Key 400-035 Leveler Wrench 400-030 1/4" Hex Key 400-080 5/32" Hex Key 400-058 3/16" Hex Key- Short Arm

## **TOOLS NEEDED**

#2 Phillips Head Screw Driver 1/2 Drill Bit for Standard Installation Pencil Tape Measure Level

## **WARNINGS**

#### **IMPORTANT SAFETY INSTRUCTIONS**

#### READ ALL INSTRUCTIONS BEFORE USING THIS FURNISHING



**WARNING!** Failure to comply with these instructions may result in accident involving serious personal injury. Failing to follow these instructions can result in the product being damaged or being destroyed or voiding of the warranty.



#### CAUTION!

- Close supervision is necessary when this furnishing is used by or near children, invalids, or disabled persons
- Use this furnishing only for its intended use as described in these instructions.
   Do not use attachments not recommended by the manufacturer.
- Do not use outdoors
- · For Commercial Use Only

#### \*\*\*\*\* SAVE THESE INSTRUCTIONS \*\*\*\*\*

#### **Accessories and Spare Parts**


Please contact Salamander Designs 860.761.9500 or www.salamanderdesigns.com/commercial

Salamander 4 Bay AV Credenza 503-228 [7.18] page 3 of 7

## 1. LEVEL CABINET




WARNING! This step requires two people.




#### **Leveler Foot**

Loosen jam nut with supplied wrench and tighten to the locked position.



#### **Wood Block Foot**

Lift cabinet and adjust leveler by hand.




Salamander 4 Bay AV Credenza 503-228 [7.18] page 4 of 7

## 2. INSTALL SHELVES


**NOTE:** Shelf pegs can be re-positioned if desired.

- **A.** Shelf placement can be adjusted if necessary to either predrilled locations or any location using Drop-In Nuts (I) Shelf Peg assembly (see diagram below).
- **B.** Place shelves on pegs.





Should you desire shelf placement in location other than predrilled locations, use the drop-in nut option. This option allows shelf to be placed at any height.




Assemble loosely as shown.



Insert into post channel and slide to desired height. Level shelf by adjusting shelf peg positions and tighten screw using hex key.

**Note:** Drop-in nut must make a 1/4 turn in post.




Salamander 4 Bay AV Credenza 503-228 [7.18] page 5 of 7


## 3. INSTALL REAR COOLING PANEL

## A

#### **Attach Thermistor**



Use supplied magnetic cube to hold thermistor in place on top of the hottest piece of equipment closest to the heat source.




Alternative connection, connect the thermistor directly to the component. Loosen screw and slip the thermistor wire under the screw head and tighten.



#### **Plug in Power Supply**

Plug in Ac adaptor bottom center behind fan grill.






#### **Install Rear Cooling Panel**

Squeeze in the provided handled slots and pull outward until panel is free.

**NOTE:** Reverse step for re-installation. Upon removal, carefully place rear panel in the up right position so not to damage the fan assembly.




Salamander 4 Bay AV Credenza 503-228 [7.18] page 6 of 7

## **ADJUSTMENT TIPS**

### **DOORS**

**NOTE:** It is important that cabinet is level before adjusting doors, see step 1.



#### Dismount Hinge from Hinge Plate

With one hand holding the door open, pull back on the hinge quick-release lever (B).



#### LIMITED WARRANTY FOR COMMERCIAL VIDEO DISPLAY STANDS AND MOUNTS

Salamander is proud to stand behind our products with industry-leading warranties. Should you ever encounter any problem with your Salamander product, let us know. We are here to make it right. 1.860.761.9500

Full warranty including limitations and warranty claim information may be found at www.salamanderdesigns.com/commercial/warranty

Made in USA

Salamander 4 Bay AV Credenza 503-228 [7.18] page 7 of 7