



SALAMANDER
DESIGNS

UNIFI™

MEETING TABLES


INTERNATIONAL



UNIFI™ MEETING TABLES

The Salamander Designs Unifi Meeting™ Tables provide the latest in high-quality, customizable solutions so teams can gather quickly and collaborate more easily. Unifi Meeting Table that provide the latest in table solutions to accommodate today's modern offices.

All designs are easy to specify for rapid deployment and offer innovative solutions to support and manage today's technology. Ultra simple to install in just minutes, Unifi is built to last and a future-proof design allows technology updates easily.



UNIFI HUDDLE™

Ideal for 2 to 5 people seated, Unifi offers select mounting solutions to support virtually any unified communication technology. A premium-grade cabinet features storage for larger AV systems with quick access and easy cable management.

Other thoughtful options include power distribution and cooling systems.



UNIFI HUDDLE™ LITE

Since one size doesn't fit all, the smaller Unifi Huddle Lite accommodates 2 to 3 people at cafe-height and is ideal for a fast-paced environment where people gather often in an impromptu manner. The Unifi Lite is available with or without integrated display mount and features a unique under table storage base is easily accessible for small AV systems.




UNIFI CONFERENCE™

Unifi™ Conference Tables are an award-winning complete series of 6 to 16-ft tables built on an aluminum C-frame design and equipped with an innovative pedestal that allows virtually all wiring, power supplies, A/V components and cables to be hidden yet easily accessible in lift off panels for servicing.



UNIFI™ CONFERENCE

4-16 PERSON























- Charge and Connect**
- Top surface cable cubby and connections
 - Under surface charging ports
 - Pedestal located power ports
 - Custom cut-in of any customer supplied device

 **Low Impact Installation**
Easy to deploy,
simple to move

- Large Open Table Storage Pedestal**
- Built on aluminum chassis
 - Lift off access panel on both sides of storage base allow simple equipment access
 - Cable management from floor to pedestal with fully open interior and raceway up to table
 - Equipment storage options include rack mount equipment with 3ru vertical racks and cooling systems
 - Ample space to accommodate large cable retractor systems
 - Vented pedestal provides convention cooling

Shapes & Sizes

Rectangular, Trapezoid or boat shapes in two table width (1219mm and 1524mm) and up to 6 lengths (1828mm, 2438mm, 3048mm, 3657mm, 4267mm and 4876mm). Split top option available for easy transportation and assembly.

 Rectangular	<div>4876mm (L) 1524mm (W) or 1219mm (W)</div>  14-16 seats	<div>4267mm (L) 1524mm (W) or 1219mm (W)</div>  12-14 seats	<div>3657mm (L) 1524mm (W) or 1219mm (W)</div>  10-12 seats	<div>3048mm (L) 1524mm (W) or 1219mm (W)</div>  8-10 seats	<div>2438mm (L) 1524mm (W) or 1219mm (W)</div>  6-8 seats	<div>1828mm (L) 1524mm (W) or 1219mm (W)</div>  4-6 seats
 Trapezoid Tapered ends provide optimal sight lines for all participants.	<div>4876mm (L) 1524mm (W)</div>  13 seats	<div>4267mm (L) 1524mm (W)</div>  11 seats	<div>3657mm (L) 1524mm (W)</div>  9 seats	<div>3048mm (L) 1524mm (W)</div>  7 seats	<div>2438mm (L) 1524mm (W)</div>  5 seats	<div>1828mm (L) 1524mm (W)</div>  3 seats
 Boat Curve on a boat shape offers better sight lines.	<div>4876mm (L) 1524mm (W) or 1219mm (W)</div>  14-16 seats	<div>4267mm (L) 1524mm (W) or 1219mm (W)</div>  12-14 seats	<div>3657mm (L) 1524mm (W) or 1219mm (W)</div>  10-12 seats	<div>3048mm (L) 1524mm (W) or 1219mm (W)</div>  8-10 seats	<div>2438mm (L) 1524mm (W) or 1219mm (W)</div>  6-8 seats	

Storage Pedestal

A variety of laminate and real wood veneer finishes with black legs and toe-kick.




Table Surfaces






Table Edges

Wilsonart® Traceless™ Ultra Matte Laminates
Super durable table top surface, with a soft-to-the-touch super matte, unique fingerprint-resistant, technology that ensures smears, smudges and streaks are seldom seen.



Wilsonart® Satin High Pressure Laminates



UNIFI™ HUDDLE



2-5 PERSON

Displays

Single, dual or no display mount options.



ADA Compliant



Boat Shape Table
Optimized to provide ideal camera field of view



Low Impact Installation
Easy to deploy, simple to move



Aluminum Chassis Cabinet
Includes 3RU vertical rack and adjustable tray shelves



Wire Management
Throughout open cabinet, back with fully open interior and raceway up to display and to table

Huddle Tops & Edges



Butter-knife Edge
1905mm Seamless
Powder-Coated MDF



Square Edge
127mm Solid Black (Only)
Compact Core



Table: 1524mm (L) x 1219mm (W) x 736mm (H)

Satin Black
Seamless

Slate Gray
Seamless

Warm White
Seamless

Solid Black
Solid Black
Compact Core*

***Custom HPL
Laminates Available**
Call or details.



Huddle Storage Cabinet

A variety of laminate and real wood veneer finishes with black cabinet top.



Warm, White Gloss



Slate, Gray, Matte



Siena, Black Oak Wood



Siena, Natural Oak Wood





Siena, Wengel Oak Wood

Cabinet Measures:
1651mm (W) x 787mm (H) x 305mm (D)

UNIFI™ HUDDLE LITE

2-5 PERSON



Boat Shape Table
Optimized to provide ideal camera field of view




Low Impact Installation
Easy to deploy, simple to move



Wire Management
Throughout fully open interior and raceway up to display

Huddle Lite Heights


Select standard or cafe height.



Cafe Table: 1219mm (L) x 1219mm (W) x 990mm (H)
1524mm (L) x 1219mm (W) x 990mm (H)

Standard Table: 1219mm (L) x 1219mm (W) x 762mm (H)
1524mm (L) x 1219mm (W) x 762mm (H)

Huddle Lite Tops & Edges



Butter-knife Edge
Seamless
Powder-Coated MDF



Square Edge
Solid Black (Only)



Satin Black
Seamless

Slate Gray
Seamless

Warm White
Seamless

Solid Black
Solid Black



***Custom HPL Laminates Available**
Call or details.



UNIFI™ HUDDLE

Siena style in your choice of finishes with black cabinet top.

2-5 PERSON




Cabinet Finishes	Single Display	Dual Display	No Display	Table Top
Warm White Gloss (Laminate)	D1/338AM1/SN/GW/BK	D1/338AM2/SN/GW/BK	D1/338A/SN/GW/BK	Warm White Seamless TP4860A/S/WW
Slate Gray Matte (Laminate)	D1/338AM1/SN/SG/BK	D1/338AM2/SN/SG/BK	D1/338A/SN/SG/BK	Slate Gray Seamless TP4860A/S/SG
Gray Oak (Veneer)	D1/338AM1/SN/GO/BK	D1/338AM2/SN/GO/BK	D1/338A/SN/GO/BK	Satin Black Seamless TP4860A/S/BK
Black Oak (Veneer)	D1/338AM1/SN/BO/BK	D1/338AM2/SN/BO/BK	D1/338A/SN/BO/BK	Solid Black Solid Black Compact Core* TP4860A/C/BK1
Wengé Oak (Veneer)	D1/338AM1/SN/WO/BK	D1/338AM2/SN/WO/BK	D1/338A/SN/WO/BK	
Natural Oak (Veneer)	D1/338AM1/SN/NO/BK	D1/338AM2/SN/NO/BK	D1/338A/SN/NO/BK	

Cabinet: 1651mm (W) x 787mm (H) (1651mm w/mount) x 305mm (D)

Table: 1524mm (L) x 1219mm (W) x 736mm (H)

UNIFI™ HUDDLE LITE

2-3 PERSON



Warm White Seamless 	UHL40AM1/G/S/WW	UHL40A/G/S/WW	UHL30AM1/G/S/WW	UHL30A/G/S/WW
Slate Gray Seamless 	UHL40AM1/G/S/SG	UHL40A/G/S/SG	UHL30AM1/G/S/SG	UHL30A/G/S/SG
Satin Black Seamless 	UHL40AM1/G/S/BK	UHL40A/G/S/BK	UHL30AM1/G/S/BK	UHL30A/G/S/BK
Solid Black Solid Black Compact Core* 	UHL40AM1/G/S/BK1	UHL40A/G/S/BK1	UHL30AM1/G/S/BK1	UHL30A/G/S/BK1

Cafe Table: 1219mm (L) x 1219mm (W) x 990mm (H)
1524mm (L) x 1219mm (W) x 990mm (H)

Seated Table: 1219mm (L) x 1219mm (W) x 762mm (H)
1524mm (L) x 1219mm (W) x 762mm (H)

Customize Your Unifi™ Huddle Table

with optional mounts, cut-ins and interior accessories for a complete turnkey video conference solution.



HUDDLE TABLE VIDEO CONFERENCE



Speaker/Camera Mount

Speaker sold separately



Tech Shelf

Camera sold separately



CABLE PORT AND PEN HOLDER

Ports can be placed in various locations throughout table and cabinet. Reference page 14 for location specs.



Cable Port

#FI/CP2/BK – Black

#FI/CP2/SN – Satin Nickel



Pen Holder

#FI/CP6/BK – Black

#FI/CP6/SA – Satin Aluminum



**Specify Your Own
Device with a
Custom Cut-In**



CABINET INTERIORS



3U or 5U Vertical Rack Mount

#FI/RM/VR/3U

#FI/RM/VR/5U



1RU Vertical, Rack Mounted Cooling Kit


#FI/SA/IUAC/EX

Customize Your Unifi™ Conference Table

with optional mounts, cut-ins and interior accessories for a complete turnkey video conference solution.



CABINET INTERIORS



Vertical Rack Mount

#FI/RM/VR/3U

#FI/RM/VR/5U



1RU Vertical, Rack Mounted Cooling Kit

#FI/SA/IUAC/EX



Specify Your Own
Device with a
Custom Cut-In

Specifications

VIDEO CONFERENCE

Display Mounts

Select Table Model

- Universal single or dual display mount with adjustable positions
- Holds displays up to:
 - Huddle: 80 kg
 - Huddle Light: 50 kg
- Single: VESA 200 x 200 – 400 x 600
- Dual: VESA 200 x 200 – 400 x 600
- Adjustable Center Line of Screen:
 - 1499mm/1448mm/1403mm/
 - 1356mm/1308mm

Speaker/Camera Mount

#FI/SBK

- Fully adjustable height
- Mount above or below display
- Accommodates most video/audio conference systems
- Universal mounting plate pattern: 0-410mm
- Max weight capacity of 11 kgs

Tech Shelf

#FI/CMS/S – Single Shelf

#FI/CM/D – Dual Shelf

Call for Custom Sizes

- Camera, Speaker, and Controller Shelf
- Fully adjustable height
- Mount above or below display
- Max weight capacity of 2 kgs
- Single Shelf: 178mm (W) x 146mm (D) x 6mm (Th)
- Dual Shelf: 667mm (W) x 171mm (D) x 13mm (Th)

CABINET INTERIORS

Vertical Rack Mounts

#FI/RM/VR/3U – 3RU

#FI/RM/VR/5U – 5RU

- 3 and 5 rack units of vertical mounted, knob up component storage (total 15RU)
- Threaded for 10-32 screws
- Black powder coated steel
- Lift and load design for easy install
- 10-32 threaded fasteners

1RU Vertical, Rack Mounted Cooling Kit



#FI/SA/IUAC/EX – Black

- Airflow: 40 to 180 CFM | Noise: 9 to 32 dBA
- 180 cfm of airflow at max efficiency maintains a 20 degree rise of up to 3750 BTU of electronics
- 482mm (W) x 343mm (D) x 44mm (Th)
- Probe Length: 1828.8mm
- Power Consumption: 8 W, 0.67 A
- Power In: 100 to 240V AC
- 1828mm Power Cord
- RoHS and CE Certified
- UL Listed

CABLE PORTS AND PEN HOLDER




76mm-1905mm Round Pen Holder

#FI/CP6/BK – Black

#FI/CP6/SA – Satin Aluminum

- Cut-In Locations 1, 2, 3, 4, 5, 6



76mm-9525 Round Cable Port


#FI/CP2/BK – Black

#FI/CP2/SN – Satin Nickel


- Split Body Design for Plug and Wire Pass Through
- Cut-In Locations 1, 2, 3, 4, 5, 6

Connection Cut-In Locations

UNIFI HUDDLE



UNIFI HUDDLE LITE



CUSTOM MADE EASY

Salamander specializes in custom
designing and manufacturing
high-performing furniture solutions
for complex projects.

Call us for a free design consultation.



SALAMANDER DESIGNS

811 Blue Hills Avenue
Bloomfield, CT 06002

salamandercommercial.com

custom@salamanderdesigns.com

+1 860.761.9500



Salamander technology partners provide solutions that, when integrated with the Unifi Tables, create the perfect interactive, collaboration solutions for every corporate environment.



©2021 Salamander Designs Ltd. v10.21 – 500-111 (international)