


# **UNIFI**™ MEETING TABLES



# **UNIFI**™ MEETING TABLES

The Salamander Designs Unifi Meeting™ Tables provide the latest in high-quality, customizable solutions so teams can gather quickly and collaborate more easily. Unifi Meeting Table that provide the latest in table solutions to accommodate today's modern offices.

All designs are easy to specify for rapid deployment and offer innovative solutions to support and manage today's technology. Ultra simple to install in just minutes, Unifi is built to last and a future-proof design allows technology updates easily.



#### UNIFI HUDDLE™

Ideal for 2 to 5 people seated, Unifi offers select mounting solutions to support virtually any unified communication technology. A premium-grade cabinet features storage for larger AV systems with quick access and easy cable management. Other thoughtful options include power distribution and cooling systems.



#### UNIFI HUDDLE™ LITE

Since one size doesn't fit all, the smaller Unifi Huddle Lite accommodates 2 to 3 people at cafe-height and is ideal for a fast-paced environment where people gather often in an impromptu manner. The Unifi Lite is available with or without integrated display mount and features a unique under table storage base is easily accessible for small AV systems.



#### UNIFI CONFERENCE™

Unifi™ Conference Tables are an award-winning complete series of 6 to 16-ft tables built on an aluminum C-frame design and equipped with an innovative pedestal that allows virtually all wiring, power supplies, A/V components and cables to be hidden yet easily accessible in lift off panels for servicing.





# **UNIFI™** CONFERENCE 4-16 PERSON

#### **Charge and Connect**

- Top surface cable cubby and connections
- Under surface charging ports
- Pedestal located power ports
- Custom cut-in of any customer supplied device


**Low Impact** Installation Easy to deploy, simple to move



- Lift off access panel on both sides of storage base allow simple equipment access
- Cable management from floor to pedestal with fully open interior and raceway up to table
- Equipment storage options include rack mount equipment with 3ru vertical racks and cooling systems
- Ample space to accommodate large cable retractor systems
- Vented pedestal provides convention cooling

# **Shapes & Sizes**

Rectangular, Trapezoid or boat shapes in two table width (4' and 5') and up to 6 lengths (6', 8', 10' 12', 14' and 16'). Split top option available for easy transportation and assembly.




## **Storage Pedestal**

Siena, Medium Walnut Wood

Siena, Natural Oak Wood

A variety of laminate and real wood veneer finishes with black legs and toe-kick.







Siena, American Cherry Siena, Wengé Oak Wood





### **Table Surfaces**

## Square, Plywood Edge



# Matching, Knife Edge

## **Table Edges**

#### Wilsonart<sup>®</sup> Traceless™ Ultra Matte Laminates

Super durable table top surface, with a soft-to-the-touch super matte, unique fingerprint-resistant, technology that ensures smears, smudges and streaks are seldom seen.









15501

Wilsonart® Satin High Pressure Laminates



D427-60



Fashion Grav

D381-60


# **UNIFI™** HUDDLE 2-5 PERSON

# **Displays**

Single, dual or no display mount options.

and raceway up to display

and to table



**Huddle Tops & Edges** 



Butter-knife Edge 3/4" Seamless Powder-Coated MDF



Square Edge 1/2" Solid Black (Only) Compact Core



**Table:** 60" (L) x 48" (W) x 29" (H)



# **Huddle Storage Cabinet**

A variety of laminate and real wood veneer finishes with black cabinet top.



Siena, Black Oak Wood

Cabinet Measures: 65" (W) x 31" (H) x 12" (D)

# **UNIFI™** HUDDLE LITE

2-5 PERSON



and raceway up to display

# **Huddle Lite Heights**

Select standard or cafe height.



Cafe Height Single Display

Cafe Height No Display


Standard Height Single Display

Standard Height No Display

Cafe Table: 48" (L)  $\times$  48" (W)  $\times$  39" (H) 60" (L)  $\times$  48" (W)  $\times$  39" (H)

**Standard Table:** 48" (L) x 48" (W) x 29" (H) 60" (L) x 48" (W) x 29" (H)

# **Huddle Lite Tops & Edges**





8







Cabinet Finishes		Single Display	Dual	Display	No Display	4'x5' Table Top	
Warm White Gloss (Laminate)		D1/338AM1/SN/GW/BK	D1/338A	AM2/SN/GW/BK	D1/338A/SN/GW/BK	Warm White 3/4" Seamless	TP4860A/S/WW
Slate Gray Matte (Laminate)		D1/338AM1/SN/SG/BK	D1/338A	AM2/SN/SG/BK	D1/338A/SN/SG/BK	Slate Gray 3/4" Seamless	TP4860A/S/SG
Gray Oak (Veneer)		D1/338AM1/SN/GO/BK	D1/338A	AM2/SN/GO/BK	D1/338A/SN/GO/BK	Solid Black 1/2" Solid Black Compact Core*	TP4860A/C/BK1
Black Oak (Veneer)		D1/338AM1/SN/BO/BK	D1/338A	AM2/SN/BO/BK	D1/338A/SN/BO/BK		
Wengé Oak (Veneer)		D1/338AM1/SN/WO/BK	D1/338A	AM2/SN/WO/BK	D1/338A/SN/WO/BK		
Natural Oak (Veneer)		D1/338AM1/SN/NO/BK	D1/338A	AM2/SN/NO/BK	D1/338A/SN/NO/BK		

Cabinet: 65" (W) x 31" (H) x 12" (D)

Table: 60" (L) x 48" (W) x 29" (H)



Cafe Table: 48" (L)  $\times$  48" (W)  $\times$  39" (H) 60" (L)  $\times$  48" (W)  $\times$  39" (H)

**Standard:** 48" (L) x 48" (W) x 30" (H)

60" (L) x 48" (W) x 30" (H)

# **Customize Your Unifi™ Huddle Table**

with optional cut-ins and interior accessories for a complete turnkey video conference solution.



#### **HUDDLE TABLE VIDEO CONFERENCE**



Speaker/Camera Mount

Speaker sold seperately



**Tech Shelf** 

Camera sold seperately



#### **CONNECTION PORTS** -

Ports can be placed in various locations throughout table and cabinet. Reference page 14 for location specs.



Flush Mount 110v Power and Dual USB Charge

#FI/CP5/BK - Black



Under Table Dual USB Charging Dock

#FI/CP8/BK - Black



Pop-up Wireless Qi Charger with Triple USB Charging

#FI/CP4/BK - Black



Popup Charge & Connect

#FI/CP7/BK - Black



**Cable Port** 

#FI/CP2/BK - Black #FI/CP2/SN - Satin Nickel



Pen Holder

#FI/CP6/BK – Black #FI/CP6/SA – Satin Aluminum



#### **CABINET INTERIORS**



**Vertical Rack Mount** 

#FI/RM/VR/3U #FI/RM/VR/5U



1RU Vertical, Rack Mounted Cooling Kit

#FI/SA/IUAC



1RU Multi-Port Rack Mounted Power Distribution Unit

#FI/RM/PDU

# **Customize Your Unifi**<sup>™</sup> Conference Table

with optional cut-ins and interior accessories for a complete turnkey video conference solution.



#### **CONNECTION PORTS**

Ports can be placed in various locations throughout table and cabinet. Reference page 7 for location specs.



Flip-Top Charge & Connect #FI/CP9/SA – Silver Alunimum



**16x6 Cable Cubby** #FI/CP10/SA – Silver Alunimum



#### **CABINET INTERIORS**



Vertical Rack Mount #FI/RM/VR/3U #FI/RM/VR/5U



**1RU Vertical, Rack Mounted Cooling Kit** #FI/SA/IUAC



**1RU Multi-Port Rack Mounted Power Distribution Unit** #FI/RM/PDU



# **Specifications**

#### VIDEO CONFERENCE

#### **Display Mounts**

#### Select Table Model

- Universal single or dual display mount with adjustable positions
- Holds displays up to: Huddle: 175 lbs (80 kg) Huddle Light: 110 lbs (50 kg)
- Single: VESA 200 x 200 400 x 600
- Dual: VESA 200 x 200 400 x 600
- Adjustable Center Line of Screen: 60"/58"/56"/54"

#### Speaker/Camera Mount

#### #FI/SBK

- Fully adjustable height
- Mount above or below display
- Accommodates most video/audio conference systems
- Universal mounting plate pattern: 0-16"
- Max weight capacity of 25 lbs (11 kgs)

#### **Tech Shelf**

#FI/CMS/S - Single Shelf #FI/CM/D - Dual Shelf

#### **Call for Custom Sizes**

- Camera, Speaker, and Controller Shelf
- Fully adjustable height
- Mount above or below display
- Max weight capacity of 5 lbs (2 kgs)
- Single Shelf: 7" (W) x 5.75" (D) x .25" (Th)
- Dual Shelf: 26.25" (W) x 6.75" (D) x .5" (Th)

#### CABINET INTERIORS

#### Vertical Rack Mounts

#FI/RM/VR/3U - 3RU #FI/RM/VR/5U - 5RU

- 3 and 5 rack units of vertical mounted, knob up component storage (total 15RU)
- Threaded for 10-32 screws
- Black powder coated steel
- Lift and load design for easy install
- 10-32 threaded fasteners

#### 1RU Vertical, Rack Mounted Cooling Kit

#### #FI/SA/IUAC - Black

- Airflow: 40 to 180 CFM | Noise: 9 to 32 dBA
- 180 cfm of airflow at max efficiency maintains a 20 degree rise of up to 3750 BTU of electronics
- 19" (W) x 13.5" (D) x 1.75" (Th)
- Probe Length: 72"
- Power Consumption: 8 W, 0.67 A
- Power In: 100 to 240V AC
- 6' Power Cord
- RoHS and CE Certified
- UL Listed

#### **1RU Multi-Port Rack Mounted Power Distribution Unit**

#### #FI/RM/PDU - Black

- 8 Rear Ports, 1 Front Port
- Maximum Output Current: 15 Amps
- Spike Protection Mode: Line to neutral
- Energy Dissipation: 170 Joules
- Peak Impulse Current: 12,000 Amps
- Maximum Continuous Operating Voltage: 130 VAC RMS
- 9" (W) x 3.75" (D) x 1.75" (Th)
- Safety Agency Listing: cTUVus Certified
- 6' Cord

#### CONNECTION PORTS SPECS & CUT-IN LOCATIONS





#### Pop-up Wireless Qi Charger 3" Round Flush mount 110v **Power and Dual USB Charge**

#### #FI/CP5/BK - Black

- 1 Outlet, AC 125V 15A max
- 5V 4.2A USB module with 2 ports
- Bore 3" hole for installation
- 10' SJT 14 AWG\*3C power cord
- UL Certified
- Cut-In Locations 1, 2, 3, 5, 6






# with Triple USB Charging

#### #FI/CP4/BK - Black

- Power Input: DC 5V, 6A max
- Wireless Charger: 5 watts max
- USB Charger: 1 x 2.4A (12 watts) max and 2 x 1A (5 Watts) Max
- Wireless Charging Distance: 6mm max
- Qi V1.2.4 Certified
- UL, cUL, FCC ID, RoHS Certified
- Cut-In Locations 1, 2, 3, 4, 5, 6



#### **Under Table Dual USB Charging Dock**

#### #FI/CP8/BK - Black

- Dual 5V DC 2.1A (10.5 Watts) USB charging ports
- Input 5VDC 4.2A wall plug adapter with 8' lead
- Blue LED back-lighting
- Cut-In Locations 7A, 7B, 7C, 7D



#### 3-3/4" Round Pen Holder

#FI/CP6/BK - Black #FI/CP6/SA - Satin Aluminum


- Cut-In Locations 1, 2, 3, 4, 5, 6



#### Flip-Top Charge & Connect

#### #FI/CP9/BK

- Satin Aluminum Cover Opens Fully Flat
- Integrated Socket 4 Module 11x 4'
- 3 Grounded AC Outlets, 110 V
- 6' Cord
- 2 USB Charging
- 1 CAT6
- 1 HDMI coupler
- Cut-In Locations 1, 2, 3, 4
- UL Listed



#### 4x6 Popup Charge & Connect

#### #FI/CP7/BK

- Aluminum Housing
- 1 Grounded AC Outlet, 125 V 12A rating
- 5V 4.2A USB module with 2 ports
- 1 HDMI coupler
- 1 Ethernet RJ45 Coupler power cord - UL Certified
- Cut-In Locations 1, 2, 3
- 10' Power Cord



#### 16x6 Cable Cubby

#### #FI/CP10/SA - Satin Aluminum

- Finely finished Aluminum cover
- Wire brushes allow cover to close while cables are in use
- 3 Grounded AC Outlets
- 6' Power Cord
- 2 USB Charging
- 1 CAT6
- 1 HDMI coupler - Cut-In Locations 1, 2, 3



#### 3-3/8" Round Cable Port


#FI/CP2/BK - Black #FI/CP2/SN - Satin Nickel


- Split Body Design for Plug and Wire Pass Through
- Cut-In Locations 1, 2, 3, 4, 5, 6

# **Unifi Huddle Cut-In Locations**


#### **UNIFI HUDDLE**

#### **UNIFI HUDDLE LITE**





# **Unifi Conference Cut-In Locations**



4 x 8 ft 4 x 6 ft

15

# **CUSTOM**MADE EASY

Salamander specializes in custom designing and manufacturing high-performing furniture solutions for complex projects.

Call us for a free design consultation.



**SALAMANDER** DESIGNS 811 Blue Hills Avenue Bloomfield, CT 06002

salamandercommercial.com custom@salamanderdesigns.com

800.535.9910





logitech

Salamander technology partners provide solutions that, when integrated with the Unifi Tables, create the perfect interactive, collaboration solutions for every corporate environment.

